



1½ TO 5 TON

PRODUCT SPECIFICATIONS

GSC13

13 SEER

HIGH EFFICIENCY SPLIT SYSTEM AIR CONDITIONER

Residential



Commercial



The GSC13 Split System Air Conditioner features the unique KlimaIRE sound control top designed for quiet operation. In addition, the unit has an attractive louvered metal guard that protects the coil from damage plus a powder-paint finish that provides premium durability and improved UV protection.

Standard Features

- Energy-efficiency compressor
- Quiet condenser fan system
- Factory-installed liquid line filter dryer
- Copper tube/aluminum fin coil
- R-22 refrigerant-charged for 15' of refrigerant lines
- Brass liquid and suction service valves with sweat connections
- Contactor with lug connections
- Ground lug connection
- ARI Certified
- ETL Listed

Cabinet Features

- Unique KlimaIRE® sound control top design
- Steel louver coil guard
- Heavy-gauge galvanized-steel cabinet
- Attractive Architectural Gray powder-paint finish with 500-hour salt-spray approval
- When properly anchored, meets the 2001 Florida Building Code unit integrity requirements for hurricane-type winds

Contents

Nomenclature	2
Product Specifications	3 - 4
Dimensions	5
Expanded Cooling Data	6
ARI Performance Ratings	32
Accessories	52

2

ACCESSORIES

Model	Description	GSC13 018	GSC13 024	GSC13 030	GSC13 036	GSC13 042	GSC13 048	GSC13 060
ABK-20	Anchor Bracket Kit ▼	X	X	X	X	X	X	X
ASC-01	Anti-Short Cycle Kit	X	X	X	X	X	X	X
CSR-U-1	Hard-start Kit	X	X	X	X			
CSR-U-2	Hard-start Kit				X	X	X	X
CSR-U-3	Hard-start Kit						X	X
FSK01A	Freeze Protection Kit ¹	X	X	X	X	X	X	X
LSK01A	Liquid Line Solenoid Kit ²	X	X	X	X	X	X	X
OT18-60A	Outdoor Thermostat	X	X	X	X	X	X	X
TX3N2 ²	TXV Kit	X	X	X	X			
TX5N2 ²	TXV Kit					X	X	X

▼ Contains 20 brackets; four brackets needed to anchor unit to pad

¹ Installed on indoor coil

² Field-installed, non-bleed, expansion valve kit — Condensing units and heat pumps with reciprocating compressors require the use of start-assist components when used in conjunction with an indoor coil using a non-bleed thermal expansion valve refrigerant metering device or liquid line solenoid kit.